This listing of claims will replace all prior versions, and listings, of claims in the application:

## **Listing of Claims:**

1. (Original) Liquid-crystalline medium based on a mixture of polar compounds of negative dielectric anisotropy, characterised in that it comprises at least one compound of the formula I

$$R^{11}$$
- $(A^1-Z^1)_m$   $O$   $(Z^2-A^2)_n$ - $R^{12}$   $I$ 

in which

R<sup>11</sup> and R<sup>12</sup> are each, independently of one another, H, an alkyl or alkenyl radical having up to 15 C atoms which is unsubstituted, monosubstituted by CN or CF<sub>3</sub> or at least monosubstituted by halogen, where, in addition, one or more CH<sub>2</sub> groups in these radicals may be replaced by -O-, -S-, -C≡C-, -OC-O- or -O-CO- in such a way that O atoms are not linked directly to one another,

 $A^1$  and  $A^2$  are each, independently of one another,

- a) a 1,4-cyclohexenylene or 1,4-cyclohexylene radical, in which one or two non-adjacent CH<sub>2</sub> groups may be replaced by -O- or -S-,
- b) a 1,4-phenylene radical, in which one or two CH groups may be replaced by N,
- c) a radical from the group consisting of piperidine-1,4-diyl, 1,4-bicyclo[2.2.2]octylene, naphthalene-2,6-diyl, decahydronaphthalene-2,6-diyl, 1,2,3,4-tetrahydronaphthalene-

2,6-diyl, phenanthrene-2,7-diyl and fluorene-2,7-diyl,

where the radicals a), b) and c) may be monosubstituted or polysubstituted by halogen atoms,

 $Z^1$  and  $Z^2$ 

are each, independently of one another, -CO-O-, -O-CO-, -CF<sub>2</sub>O-, -OCF<sub>2</sub>-, -CH<sub>2</sub>O-, -OCH<sub>2</sub>-, -CH<sub>2</sub>CH<sub>2</sub>-, -(CH<sub>2</sub>)<sub>4</sub>-, -C<sub>2</sub>F<sub>4</sub>-, -CH<sub>2</sub>CF<sub>2</sub>-, -CF<sub>2</sub>CH<sub>2</sub>-, -CF=CF-, -CH=CF-, -CF=CH-, -CH=CH-, -C=C- or a single bond, and

m and n

are each, independently of one another, 0, 1 or 2, where  $m + n \ge 1$ .

2. (Original) Liquid-crystalline medium according to Claim 1, characterised in that it additionally comprises one or more compounds of the formulae IIA and/or IIB

in which

 $R^2$ 

is an alkyl or alkenyl radical having up to 15 C atoms which is unsubstituted, monosubstituted by CN or CF<sub>3</sub> or at least monosubstituted by halogen, where, in addition, one or more CH<sub>2</sub> groups in these radicals may each be replaced, independently of one another, by -O-, -S-,  $\longrightarrow$  , -C $\equiv$ C-, -CO-, -CO-O-, -O-CO- or -O-CO-O- in such a way that O atoms are not linked directly to one another,

is 1 or 2, and

is from 1 to 6.

 $\mathbf{v}$ 

3. (Currently Amended) Liquid -crystalline medium according to Claim 1 or 2, characterised in that it additionally comprises one or more compounds of the formula III



in which

R<sup>31</sup> and R<sup>32</sup> are each, independently of one another, a straight-chain alkyl, alkenyl, alkylalkoxy or alkoxy radical having up to 12 C atoms, and

$$\longrightarrow$$
 is  $\longrightarrow$  or  $\longrightarrow$  H

- 4. (Currently Amended) Liquid -crystalline medium according to <u>claim 1</u> one of <u>Claims 1 to 3</u>, characterised in that it comprises one, two, three, four or more compounds of the formula I.
- 5. (Currently Amended) Liquid -crystalline medium according to <u>claim 1</u> one of <u>Claims 1 to 4</u>, characterised in that the proportion of compounds of the formula I in the mixture as a whole is at least 5% by weight.
- 6. (Currently Amended) Liquid -crystalline medium according to <u>claim 1</u> one of <u>Claims 1 to 5</u>, characterised in that the proportion of compounds of the formulae IIA and/or IIB in the mixture as a whole is at least 20% by weight.
- 7. (Currently Amended) Liquid -crystalline medium according to <u>claim 1</u> one of <u>Claims 1 to 6</u>, characterised in that the proportion of compounds of the formula III in the mixture as a whole is at least 5% by weight.
- 8. (Currently Amended) Liquid -crystalline medium according to <u>claim 1</u> one of <u>Claims 1 to 7</u>, characterised in that it comprises at least one compound selected

from the formulae I1 to I36

$$R^{11}$$
 alkyl II

$$R^{11}$$
  $O$   $I2$ 

$$R^{11}$$
 O alkyl I3

$$R^{11}$$
  $O$   $F$   $F$   $F$   $F$ 

$$R^{11}$$
 O alkyl  $I_9$ 

$$R^{11}$$
 O alkyl II11

$$\mathsf{R}^{11} - \mathsf{O} - \mathsf{Alkyl}$$

$$R^{11} \xrightarrow{\qquad \qquad \qquad } F \xrightarrow{\qquad \qquad } F \xrightarrow{\qquad \qquad } E$$
 alkyl

$$R^{11} \underbrace{\hspace{1.5cm} O \hspace{1.5cm}}_{F \hspace{1.5cm} F \hspace{1.5cm} E} \hspace{1.5cm} \textbf{alkyl} \hspace{1.5cm} I19$$

$$R^{11}$$
  $O$   $I20$ 

$$R^{11}$$
 O alkyl I21

$$R^{11}$$
 O alkyl I23

$$R^{11}$$
  $O$   $Alkyl$   $I25$ 

$$R^{11} \xrightarrow{O} \xrightarrow{Alkyl} I31$$

$$R^{11}$$
 O alkyl I33

in which

R<sup>11</sup> is as defined in Claim 1, and alkyl is a straight-chain alkyl radical having 1-6 C atoms.

- 9. (Currently Amended) Liquid -crystalline medium according to <u>claim 1</u> one of <u>Claims 1 to 8</u>, characterised in that it essentially consists of
  - 5-30 % by weight of one or more compounds of the formula I

and

- 20-70 % by weight of one or more compounds of the formulae IIA and/or IIB.
- (Currently Amended) Electro -optical display with active-matrix addressing based on the ECB, PALC or IPS effect, characterised in that it contains, as dielectric, a liquid-crystalline medium according to claim 1 one of Claims 1 to 9.